

### Demersible Non-Clog Pumps

The Product Numbering System used, consists of 12 digits, and the following is a description of that system:

**0000 - 000 - 00 - 000**  
 1 thru 4    5 6 7    8 9    10 11 12

**Digits 1 thru 4 describe the pump figure number.**

7365	Solids Handling Demersible Submersible Sewage & Drainage Pumps (X-Pruf®)
------	--

**Digit 5 describe the pump discharge size and solids handling.**

Digit 5	Discharge Size	Solids Handling
3	3"	2.5" or 3.0"
4	4"	3"
6	6"	3"
8	8"	4"
X	10"	4"

**Digit 6 & 7 describe RPM and impeller type.**

Digit 6 & 7	RPM	Imp. Type	Deming Imp.	Digit 6 & 7	RPM	Imp. Type	Deming Imp.
27	3450	Vortex	3VR	71	1750	Vortex	3VC
28	1750	Vortex	3VR	37	1150	Mono Vane	4MHA
24	1750	Mono Vane	4M	44	1750	Vortex	4VHA
10	1750	Mono Vane	4ML	45	3450	Vortex	4VHA
11	1750	Mono Vane	4MM	46	1150	Mono Vane	4MM
12	1750	Mono Vane	4MH	47	1150	Mono Vane	4MH
25	1750	Dual Vane	4D	66	1750	Mono Vane	4MB
13	1750	Dual Vane	4DM	48	1150	Dual Vane	4DM
14	1750	Dual Vane	4DH	49	1150	Dual Vane	4DH
29	3450	Vortex	4VL	58	1150	Vortex	6VT
30	1750	Vortex	4VL	59	870	Vortex	6VT
31	3450	Vortex	4VH	63	1750	Dual Vane	6DL
32	1750	Vortex	4VH	64	1150	Dual Vane	6DL
15	1750	Mono Vane	6ML	50	1750	Tri Vane	8T
16	1750	Mono Vane	6MM	51	870	Tri Vane	8T
17	1750	Mono Vane	6MH	56	1150	Vortex	8V
18	1750	Dual Vane	6D	57	870	Vortex	8V
19	1150	Mono Vane	6ML	60	1750	Dual Vane	8D
20	1150	Mono Vane	6MM	61	1150	Dual Vane	8D
21	1150	Mono Vane	6MH	62	870	Dual Vane	8D
22	1150	Dual Vane	6D	67	1750	Dual Vane	8DA
33	1750	Vortex	6V	52	1150	Dual Vane	10DL
34	1150	Vortex	6V	53	870	Dual Vane	10DL
23	1150	Tri Vane	8T	54	1150	Dual Vane	10DH
35	1750	Mono Vane	3MA	55	870	Dual Vane	10DH
42	1750	Vortex	3VRA	70	1150	Tri Vane	10 TB
43	3450	Vortex	3VRA				

Continued →

# Product Numbering System

7365 Series

Class I Division 1 Group C&D X-Pruf®

# DEMING®

www.cranepumps.com

## Demersible Non-Clog Pumps

**Digit 8 & 9 describe the motor hp and voltage.** (See Dimension Pages for HP & Volt availability)

Digit 8 & 9	HP	Volt	Frame Size	Digit 8 & 9	HP	Volt	Frame Size	Digit 8 & 9	HP	Volt	Frame Size
25	2.0	208-230V	#2	38	15.0	208-230V	#3	49	40.0	230V	#4
1M	2.0	208-230/460V	#2	1K	15.0	208-230/460V	#3	64	40.0	460V	#4
70	2.0	575V	#2	75	15.0	575V	#3	79	40.0	575V	#4
26	3.0	208-230V	#2	90	15.0	460V	#4	94	40.0	460V	#5
1P	3.0	208-230/460V	#2	99	15.0	575V	#4	1D	40.0	575V	#5
71	3.0	575V	#2	1L	20.0	230-460V	#3	65	50.0	460V	#4
27	5.0	208-230V	#2	61	20.0	460V	#3	80	50.0	575V	#4
1R	5.0	208-230/460V	#2	76	20.0	575V	#3	95	50.0	460V	#5
72	5.0	575V	#2	16	20.0	208V	#4	1E	50.0	575V	#5
1S	7.5	208-230/460V	#2	31	20.0	208-230V	#4	66	60.0	460V	#4
87	7.5	575V	#2	91	20.0	460V	#4	81	60.0	575V	#4
1H	7.5	208-230/460V	#3	1A	20.0	575V	#4	96	60.0	460V	#5
73	7.5	575V	#3	62	25.0	460V	#3	1F	60.0	575V	#5
1T	10.0	208-230/460V	#2	77	25.0	575V	#3	67	75.0	460V	#5
88	10.0	575V	#2	32	25.0	208-230V	#4	82	75.0	575V	#5
1J	10.0	208-230/460V	#3	92	25.0	460V	#4	68	100.0	460V	#5
74	10.0	575V	#3	1B	25.0	575V	#4	83	100.0	575V	#5
37	10.0	208-230V	#4	63	30.0	460V	#3	69	125.0	460V	#5
89	10.0	460V	#4	78	30.0	575V	#3	84	125.0	575V	#5
98	10.0	575V	#4	33	30.0	208-230V	#4	97	150.0	460V	#5
				93	30.0	460V	#4	1G	150.0	575V	#5
				1C	30.0	575V	#4				

**Digit 10 describes the motor phase.**

1	Single
3	Three

**Digit 11 describes the mechanical seals.**

0	BF1C1 - Car/Cer IB & OB
1	BF101 - SiC/SiC IB & OB

**Digit 12 describes the cord length.**

N	No Cord (Cord Sold Separately)
---	--------------------------------

This product may be covered by one or more of the following patents and other patent(s) pending: US Patent 7,931,473 & 8,128,360



End

SECTION 42A  
PAGE 2  
DATE 2/18

**CRANE**  
A Crane Co. Company

PUMPS & SYSTEMS

USA: (937) 778-8947 • Canada: (905) 457-6223 • International: (937) 615-3598